

MAX







LETATWIN

LM-3000PRO


Consumable Catalog

**GRIPSLEEVE / ID PLATE / POLYESTER TAPE /
MARKER STRIP / TUBE / INK RIBBON**



GRIPSLEEVE

-Innovative square tube for panel wiring process



The length of the marking block can be adjusted, allowing for easy-to-read printing of characters.

Enhanced visibility by the combination of white tube and yellow tube, even for long text.

UL recognized (File No. E535455).




Product Code	Product Name	Remarks
LM90700	LM-SL34W (WHITE)	Wire outer ϕ 2.1 to 3.4mm, 75m/roll
LM90701	LM-SL34Y (YELLOW)	Wire outer ϕ 2.1 to 3.4mm, 75m/roll
LM90702	LM-SL37W (WHITE)	Wire outer ϕ 3.0 to 3.7mm, 75m/roll
LM90703	LM-SL37Y (YELLOW)	Wire outer ϕ 3.0 to 3.7mm, 75m/roll

The special features of the GRIPSLEEVE can improve your wire-numbering process

1 Grip Force

It can be moved along the wire, but it can also stay in place.



Move



Stop



3 Simple Process

The printed GRIPSLEEVE can slide over wire terminal and stay in place



Print



insert

2 Clear Visibility

Larger characters enhance visibility.



4 White and Yellow

Choice from two colors of GRIPSLEEVE improves flexibility of wire identification.



Outer Wire	Diameter (mm)	1.5	1.9	2.1	2.2	2.3	2.5	2.8	3	3.1	3.2	3.4	3.7	4	4.1	4.4	5.3
Wire Type	H05V-K/H07V-K			0.5mm ²	0.75mm ²		1.0mm ²	1.5mm ²				2.5mm ²		4.0mm ²			6.0mm ²
	MTW (AWG)	#24			#22	#22	#20	#18	#16			#14		#12			#10
GRIPSLEEVE	LM-SLxx (S)	(S) *Under development															
	LM-SL34 (M)						LM-SL34(M)										
	LM-SL37 (L)									LM-SL37(L)							
	LM-SLxx (XL)													(XL) *Under development			

ID PLATE (PLASTIC TAG) -Halogen Free, Polyethylene plate for sleeves



Product Code	Product Name	Remarks
LM90102	LM-ID PLATE4110 (WHITE)	4.1mm(Width)x1.0mm(Thick)x20m/roll

White plate for transparent sleeves, you can print letters on it and half cut with LM-3000PRO.



*Expression of "Halogen Free" is accordance with IEC 61249-2-21, Chlorine(Cl) $\leq 0.09\text{wt}\%$ (900ppm),
Bromine(Br) $\leq 0.09\text{wt}\%$ (900ppm), total content rate of both materials is $\leq 0.15\text{wt}\%$ (1500ppm).

POLYESTER TAPE -For device labeling



Product Code	Product Name	Remarks
LM90190	LM-TP3005W (WHITE)	5mm(Width)x30m/roll
LM90191	LM-TP3005Y (YELLOW)	5mm(Width)x30m/roll
LM90192	LM-TP3009W (WHITE)	9mm(Width)x30m/roll
LM90193	LM-TP3009Y (YELLOW)	9mm(Width)x30m/roll
LM90194	LM-TP3012W (WHITE)	12mm(Width)x30m/roll
LM90195	LM-TP3012Y (YELLOW)	12mm(Width)x30m/roll

MARKER STRIP -For terminal block marking



Product Code	Product Name	Remarks
LM90071	LM-KM485 (WHITE)	8.5mm(Width)x0.5mm(Thick)x25m/roll
LM90070	LM-KM495 (WHITE)	9.5mm(Width)x0.5mm(Thick)x25m/roll
LM90072	LM-KM410 (WHITE)	10.0mm(Width)x0.5mm(Thick)x25m/roll
LM90245	LM-KM4107 (WHITE)	10.7mm(Width)x0.5mm(Thick)x25m/roll

DRUM TUBE

-Vinyl(PVC) / Drum roll / Not UL recognized



	Product Code	Product Name	Remarks
L TUBE	LM90600	LM-TU425L2 (WHITE)	Wire outer ϕ 2.5 mm,250m/roll
	LM90601	LM-TU427L2 (WHITE)	Wire outer ϕ 2.7 mm,250m/roll
	LM90602	LM-TU432L2 (WHITE)	Wire outer ϕ 3.2 mm,250m/roll
	LM90603	LM-TU434L2 (WHITE)	Wire outer ϕ 3.4 mm,250m/roll
	LM90604	LM-TU436L2 (WHITE)	Wire outer ϕ 3.6 mm,250m/roll
	LM90082	LM-TU442L (WHITE)	Wire outer ϕ 4.2 mm,200m/roll
	LM90083	LM-TU452L (WHITE)	Wire outer ϕ 5.2 mm,135m/roll
	LM90084	LM-TU464L (WHITE)	Wire outer ϕ 6.4 mm,100m/roll
	LM90085	LM-TU480L (WHITE)	Wire outer ϕ 8.0 mm,70m/roll
GRIP TUBE	LM90650	LM-TU29G (WHITE)	Wire outer ϕ 1.9 to 2.1mm,100m/roll
	LM90651	LM-TU37G (WHITE)	Wire outer ϕ 2.5 to 2.7mm,100m/roll
	LM90652	LM-TU46G (WHITE)	Wire outer ϕ 3.0 to 3.7 mm,85m/roll

MAX drum roll type tube is ideal for high-quality tube marking.

The drum roll box design allows the tube to feed smoothly into the printer, making it possible for workers to print large batches without constantly watching the machine.

N TUBE

-Vinyl(PVC) / UL224 / E171616 / 105°C / 600V




	Product Code	Product Name	Remarks
N TUBE	LM90200	LM-TU332N2 (WHITE)	Wire outer ϕ 3.2 mm,100m/roll
	LM90201	LM-TU336N2 (WHITE)	Wire outer ϕ 3.6 mm,100m/roll
	LM90202	LM-TU342N2 (WHITE)	Wire outer ϕ 4.2 mm,80m/roll
	LM90203	LM-TU352N2 (WHITE)	Wire outer ϕ 5.2 mm,80m/roll

The N TUBE series has acquired the UL recognized (File No. E171616), and provides high insulation performance for sites with this requirement.

INK RIBBON

-Only the ribbon core needs to be replaced, allowing the cassette to be reused



	Product Code	Product Name	Remarks
	LM90143	LM-IR3015B (BLACK)	200m/roll for PVC & heat shrink tube
	LM90144	LM-IR3015W (WHITE)	180m/roll for heat shrink tube only
	LM90148	LM-RC3015	Ribbon refillable cassette